

PS


THE
PREVENTIVE
MAINTENANCE
MONTHLY

INDEX

Issues 92-97
(Jul-Dec 1960)

HE SAYS
WE SHOULD
USED THE

PS INDEX





I N D E X
T O
ISSUES 92-97
(July-December 1960)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels.

Within limits of availability, older issues may be obtained direct from PS Magazine, Raritan Arsenal, Metuchen, New Jersey.

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:

*Sgt Half-Mast,
PS Magazine,
Raritan Arsenal,
Metuchen, New Jersey.*

DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 92 to 97 INCLUSIVE

1960 SERIES

	PS	Page
A		
AIMING CIRCLE, M2		
SB has eyeshield info	95	65
AIR COMPRESSOR		
Clark Mod HO-6-5C1--Use 80 octane or higher	93	21
Joy, Model 15H		
Battery Cable Rubs.	92	41
AIRCRAFT, ARMY		
Fixed Wing		
L-23D		
Step motor caution	96	60
U-1A (Otter)		
Access ladder cable replacement --fix	95	59
Fabricate protection for flooring	95	61
Fuel vent line--Rotate clamp	96	59
Parking brake handle--Install spring catch	94	58
Rotary Wing		
H13 (Sioux)		
TM1-1H-13-538 (22 Jan 60)--Metal tail rotor blades	94	59
H21 (Shawnee)		
Longitudinal bungee adjustment--special tool	95	57
H-34 (Choctaw)		
Main gear axles--Inspect	97	45
AIRCRAFT, ARMY, GENERAL		
Battery		
Disconnect before removing instrument panels	96	62
Engine		
Oil filler cap and sump drain plug--Check carefully	95	58

AIRCRAFT, ARMY, GENERAL (Cont'd)

Flight Controls		
Don't force if binding	95	60
Forms		
DD Form 1275--How to fill out	93	54
Fueling--JP-4 needs extra care	94	60
Loose latches	95	61
Modifications		
DA Form 1987 required for each modification	94	61
Overhaul Program		
IROAN--Based on condition	94	63
Publications		
How to use DA Form 17 and 12-5	97	48
Multi-part TM 55's	93	60
TO to TM Conversion	97	46
Records--Plastic folders to keep 'em in	95	39
Supply		
Common Hardware Kit		
Reorder guide	95	56
Supply, EDP		
Use with caution	94	59
Tires--Let air out before splitting wheel hubs	94	65
Tools		
Loose tools are airborne hazards	95	60
AMMUNITION		
Tank loading and handling	92	29
ANTENNAS		
AS-813/TRC-47--Don't step on platforms	93	14
Care in raising OA-482/TRC	95	23
RC-292--Field expedient for RC-292	97	27
ANTI-FREEZE		
Keep supply on hand	92	65

B

BATTERY (SEE ALSO ELECTRICAL SYSTEM)

Signal		
BB-401/U		
Correct plug for cells	92	15
Scrape crust from nylon ones	94	57
BATTERY, CHARGER		
Be Your Own Inspector	96	44
BOOTS		
Carry this repair kit with you	97	65

BRAKE

Drums	94	16
Test for drag or grab	97	8

C

CABLE

Cold Weather Use	95	15
Clamps		
Correction for PS 92	97	39
Use with load binder	92	12
Ignition	94	25
Preventive Maintenance	94	2
Winch--Winding	94	7

CANNIBALIZATION

See AR 750-50	95	1
-------------------------	----	---

CARBINE

Ejector--How it works	93	37
---------------------------------	----	----

CARRIER, LIGHT WEAPONS M274

Gasket--Oil filter	97	7
Starter--New	96	65

CARRIER, PERSONNEL, ARMORED, M59

Cable size	97	40
Cupola M13		
Adjusting jam nut	94	10
Keep batteries up to strength	93	6
Keep weapon with vehicle	92	17
Machine gun needs right parts	96	21
Solenoid clamp not supplied	95	41
Parts Manual--New	92	17
Suspension--Reversing tracked shroud	95	62
Track pads--removing	92	63

CARRIER, SELF-PROPELLED, MORTAR M84

Cable size	97	40
Cupola M13		
Adjusting jam nut	94	10
Machine gun needs right parts	96	21
Keep batteries up to strength	93	6
Keep weapon with vehicle	92	17
Solenoid clamp not supplied	95	41
Watch that infrared periscope	93	6

CIRCUIT TESTER, LOW VOLTAGE

Generator--Polarize thru field	93	28
--	----	----

CLEANING

Radios		
Don't bump controls	97	24

COMPOUND, COATING, BITUMINOUS		
How to get.	95	39
CONTROL BOX C-375		
Getting stop, electrical switch	93	10
CORPORAL		
Acid Transfer Hose		
Stop leaks with sealing compound	92	22
Forms		
Completing DA Form 9-110	93	47
Launcher		
Make another maintenance platform	92	26
Missile		
Charge batteries right way	97	24
Treating for corrosion	92	65
CRANE-SHOVEL, GARWOOD		
M20B		
Operating Tips	92	42
Plug oil hole in pinion-bearing-housing.	93	21
Relocating tach cable	92	44

D

DECONTAMINATION		
Decon Unit		
Strainer--Check before using	96	24
DETECTOR KIT		
Chemical refills for M15	92	46
DISTRIBUTOR		
Cap--Check for cracks	92	19

E

ELECTRICAL CONNECTORS		
Disconnect cannon plugs	96	51
Kits, Waterproof, Repair		
For parts see SM9-4-5935-SO1	95	65
ENGINE, GASOLINE		
AOSI 895-5--Titan pump test	94	8
ENGINEER EQUIPMENT		
Lubrication		
Converting LO Symbols to Hours	93	23
Standby Maintenance	94	14

F

FIRE EXTINGUISHERS

Lock Wire--M103 tank	92	18
Muzzle (See FLAME THROWER M7A1-6)		

FLAGS

Convoy	94	28
------------------	----	----

FLAME THROWER, M2A1

Spring Case Assembly--Don't wash.	97	44
Test Firing--Don't use water	93	7

FLAME THROWER, M7A1-6

Grip vent hose	97	43
Weigh muzzle fire extinguisher	97	42

FLAME THROWER MIX

How to prepare	92	47
--------------------------	----	----

FORDING KITS, DEEP-WATER

Vehicle idle speed	95	62
------------------------------	----	----

FORMS

Organizational Maintenance List	97	54
---	----	----

FORMS, DA, DD, SF, ETC.

DA Form 5-73A--Importance of	97	29
--	----	----

DA Form 12-5--How to use	97	48
------------------------------------	----	----

DA Form 17--Fill out	97	48
--------------------------------	----	----

DA Form 460

Dual tech service use	95	37
---------------------------------	----	----

DA Form 468

No conflict with DA Form 2028.	92	2
--	----	---

UER	94	1
---------------	----	---

UER--Correction to PS 94 back cover	95	65
---	----	----

DA Form 478

Care of.	93	29
------------------	----	----

Record forms inside	94	26
-------------------------------	----	----

DA Form 2028

No conflict with DA Form 468.	92	2
---------------------------------------	----	---

Used for reporting unsatisfactory pubs on Atomic Weapons	97	65
---	----	----

DD Form 1275

How to fill out	93	54
---------------------------	----	----

FUELING

Tracked vehicles.	93	27
---------------------------	----	----

FUEL PUMP

Clogged on Dodge bus model K8-S600	95	64
--	----	----

G

GASOLINE

Winterizing fuel for gasoline vehicles	97	65
--	----	----

	PS	Page
GENERATOR, CONSOLIDATED DIESEL 45KW		
Overspeed Cutout Switch	92	43
GENERATOR, HOL-GAR , CE 55AC/WK6		
Be Your Own Inspector	95	44
GENERATOR, HOL-GAR CE 600		
Lining up the fan idler pulley	93	18
Lubing overspeed cutout switch	93	18
Shim the hand primer bracket	93	19
GRADER		
How to flush blade rams	93	64
GRENADE		
Respect M205 Series fuze	97	65
GROMMETS		
Rubber and synthetic--split them yourself	95	15
GUN, MACHINE, 30 CAL		
Barrel		
"Ring" is for expansion	96	3
GUN, MACHINE, 50 CAL		
Barrel		
"Ring" is for expansion	96	3
Chamber cleaning brush--In supply	97	65
GUN, SELF-PROPELLED, 90MM, M56 (SCORPION)(SPAT)		
Stud--Dust-screen support	94	10
GUN, SELF-PROPELLED, 155MM, M53		
Wheel--Relief lube fitting	94	11

H

HANDBRAKE		
M-Series vehicles--Caution	93	39
HANDSET		
H-33/PT--Relieve pressure on transmitter cap	94	57
H-90/U--Hang at angle on R-417/TRC	97	25
HEATER, 250,000 BTU		
Be Your Own Inspector	97	11
HELMET, WELDER'S		
Use right shade of lens	97	41
HONEST JOHN		
Generator Set, M25 Onan		
Keep stack cable in place	94	22
Keep starter rope from breaking	94	24
Use the right air	92	2
Rocket Launcher M289		
Check front elevating screw bearing block	94	23
Use care in raising, lowering beam	94	22
Launcher M386		
Check setscrews in stabilizing jacks	92	4

HONEST JOHN (Cont'd)

Launcher M386		
Use restraining assembly with XM50 Rocket	.92	4
M405 Handling Unit--Fix snubber plate	.93	41
Rocket		
Treating for corrosion	.92	65
Tools		
Get new socket wrench extension	.92	4
HOWITZER, 8-INCH SELF-PROPELLED, M55		
Wheel-Relief lube fitting	.94	11
HOWITZER, 155-MM		
Carriage M1A1 and M1A2		
You're allowed handspike	.97	65

I

IROAN

Maintenance	.94	29
-----------------------	-----	----

INDEX, PS (SEE PS MAGAZINE INDEX)

INSPECTION

Be Your Own Inspector		
AN/GRC-3, 4, 5, 6, 7, 8	.94	50
Battery Charger	.96	44
Generator, Hol-Gar, CE 55AC/WK6	.95	44
Heater, 250,000 BTU	.97	11
Radiacmeter, IM-108/PD	.93	8
Radio Set AN/GRC-9	.96	52
Telephone--TA-1/PT	.92	6
Truck, 5-Ton, G744 Series	.96	4
How to prevent gigs	.96	42

L

LAUNCHER, ROCKET 3.5 INCH

Electrical Firing Mechanism--Double click	.93	38
---	-----	----

LIFTING

Wheeled vehicles	.93	41
----------------------------	-----	----

LIGHT, BLACKOUT

Lens reversed	.94	9
-------------------------	-----	---

LUBRICATION

Engineer Equipment		
Converting LO symbols to operating hours	.93	23
Screws--Stop seizure	.96	64

LUBRICATION HOLDER

Transferred from Engineers to QM	.92	65
--	-----	----

M

MAINTENANCE

Assemblies--Replace according to manual	93	65
General	92	1
	97	1
Mechanics authorized	97	37

MAINTENANCE RECORDS

Forms to use	97	54
------------------------	----	----

MAST ASSEMBLY

Keep section tips clean	96	58
-----------------------------------	----	----

MATERIALS HANDLING EQUIPMENT

NC-10 Federal Crane--Locked steering wheels	93	40
Tips when tickling under the hood	92	50

MATTRESS

Repair kit for pneumatic mattress	97	65
---	----	----

MORTAR, 81MM, M23A1 MOUNT

T62 now M23 and T106 now M29	94	41
--	----	----

N

NIKE AJAX

Assembly Building		
Use extra space	94	20
Elevator		
Fix for hanging guards	93	22
Fuse		
Overfusing is bad	92	28
Missile		
Treating for corrosion	92	65
Use detonating cord clips right way	94	38
When to recap	92	25
Track Radars		
Protection from the weather	92	24
Watch tracking sweep generator screws	92	25
Wrong gasket causes trouble	92	27
Track Radar, Missile and Target		
Answer to weak signals	94	21
Replace rubber shielding	94	21

NIKE, GENERAL (AJAX AND HERCULES)

Forms

Completing DA Form 9-110	93	47
------------------------------------	----	----

Publications

DA Pamphlets have good scoop	94	65
--	----	----

RF Test Set

Get rid of water	94	20
----------------------------	----	----

Storage

Stock and supply room	94	20
---------------------------------	----	----

NIKE, GENERAL (AJAX AND HERCULES) (Cont'd)

Trailers

Know your brake system	93	52
Watch king-pin hook-up assembly	96	28

NIKE HERCULES

Fuse

Overfusing is bad	92	28
-----------------------------	----	----

Launcher

Tool holds down T-track rod	97	40
---------------------------------------	----	----

Missile

Make beam to handle components	95	65
Treating for corrosion	92	65

Track Radars

How to install radomes	92	20
Replacing rods and covers	97	38
Tips on ML6544 Modulator	92	23

OFFICE MACHINES

Use DA Form 17 to get right maintenance publication	96	37
---	----	----

OIL

Seal--Soak before use	96	20
---------------------------------	----	----

ON THE JOB TRAINING (OJT)

Name it	97	62
-------------------	----	----

OPERATION

Vehicle

Don't gun engine with radio on	97	9
--	----	---

P

PAINT

Requisitioning bituminous compound coating	95	39
--	----	----

PARTS, REPLACEMENT

(See ELECTRICAL CONNECTOR)

PHOTOGRAPHIC EQUIPMENT

Cleaning screens	97	21
----------------------------	----	----

POWER SUPPLY

PP-351/U--Check F1 and F3 fuses daily	93	11
PU-294/G--Trailer support	97	25

PROJECTOR LAMPS

Don't finger them	93	15
-----------------------------	----	----

PROTECTIVE MASK

Applying MWO's--General	95	2
-----------------------------------	----	---

PROTECTIVE MASK (Cont'd)

Carrier

How to unfasten	93	5
Detergents to use on mask	96	25
1st Echelon Maintenance	95	29

PROTECTIVE MASK, M14

Must have female connector plug on mike cord	97	44
--	----	----

PS DISTRIBUTION

Circulation of Magazine	92	17
-----------------------------------	----	----

PS MAGAZINE INDEX

Distribution	97	63
------------------------	----	----

PUBLICATIONS

Engineer

TB ENG 122, TB ENG 122-1--Attachments	92	39
---	----	----

Quartermaster

Successors to the old TB QM 32	96	41
--	----	----

Signal

Take care of commercial pubs	93	14
--	----	----

TB SIG 222 on Soldering	97	20
-----------------------------------	----	----

Technical Manual Parts List--Source, Maintenance

and Recoverability codes	95	4
------------------------------------	----	---

TM 55 (Aircraft).	93	60
---------------------------	----	----

R

RADIAC

Check for zero	96	50
--------------------------	----	----

IM-108/PD--Be Your Own Inspector	93	8
--	----	---

IM-108/U--Tighten check lever	95	25
---	----	----

RADIO CONTROLLED AERIAL TARGET

OQ19 Series

Read SB9-127	95	65
------------------------	----	----

RADIO SETS

AN/ARC-44

Tighten dynamotor mounting	95	24
--------------------------------------	----	----

AN/ARC-55

Panel arrangement in L-20	95	28
-------------------------------------	----	----

AN/GRC-3, 4, 5, 6, 7, 8--Be Your Own Inspector	94	50
--	----	----

AN/GRC-9

Be Your Own Inspector	96	52
---------------------------------	----	----

Keep mounting straps tight	93	13
--------------------------------------	----	----

AN/GRC-46

Bolts holding TT-76A/GGC	97	26
------------------------------------	----	----

Tips on heater exhaust	95	27
----------------------------------	----	----

AN/PRC-6

Protecting Decal	92	14
----------------------------	----	----

	PS	Page
RADIO SETS (Cont'd)		
AN/PRC-8		
Steel wool bad for cleaning	96	58
AN/TCC-4, AN/TCC-20		
Use rubber caps on binding posts	93	12
AN/TPS-IG		
Tightening nuts on antenna	97	22
AN/TRC-24		
Maintaining and Cleaning filter	92	10
RT-66/GRC		
Don't scratch decals	96	51
Vehicle-- Don't gun engine	97	9
RADIO TRANSMITTER		
Protective guard for BC-610	95	22
RIFLE, RACK		
Rack modification for M1 and M14 rifle	97	2
RIFLE, 22 CAL		
Remove sight before weapon's repaired	96	65
RIFLE, M1, CAL 30		
Bracket assemblies for rigs and trucks--How to get	93	65
Gas Cylinder Lock		
Use right one.	93	4
Operating Rod		
Bend is built in	96	3
RIFLE, M14, 7.62-MM		
Go easy on selector spring pin.	96	2
Keep selector and selector lock	96	2
ROPE		
Wire for rigging	94	2
S		
SAFETY		
Refueling rates, vehicle.	95	43
Tank		
Gas--Static ground wire	95	16
SERVICE UNIT M4		
Keep commercial cylinders away from compressor	97	43
SMOKE GENERATOR M3A3		
Engine-head adapter--Check	96	26
SPARK PLUG		
Trucks--Hot or cold	94	40
SS-10		
Instructions--Ne Pas Toucher means don't touch	93	65
Missile		
Color coding is important	93	65
Go easy on flare.	96	65

SUPPLY

Master Prescribed Load List--How it works	95	18
New manual on your No. 1 Supplemental tool set	94	65

T

TANK, GENERAL

Ammunition handling	92	29
Don't wash before inspection	95	40
Engine		
AOSI 895-5--Titan pump test	94	8
Hatch Lock		
MWO on M1 mounts	95	42
Refueling precautions	93	24
Washrack hose	97	61
Windshield Frame--Loaded with water	92	37

TANK, M42

Doors--Urgent MWO	93	65
-----------------------------	----	----

TANK, M48

Final Drive--Lubrication	94	12
Parts--Identification	92	65
Wheel--Relief lube fitting	94	11

TANK, M48A1

Azimuth indicator tests	94	48
M1 Cupola		
Machine gun needs right parts	96	21
Wheel--Relief lube fitting	94	11

TANK, M48A2

Azimuth indicator tests	94	48
M1 Cupola		
Machine gun needs right parts	96	21
Wheel--Relief lube fitting	94	11

TANK, 76-MM, M41

Compression		
Change in PSI	92	65
Tracks--Pad removal	92	63

TANK, M103

Wheel--Relief lube fitting	94	11
--------------------------------------	----	----

TANK, 120-MM GUN, M103

Extinguishers--Lock wire	92	18
LO Explained	93	65

TELEPHONE

TA-1/PT		
Be Your Own Inspector	92	6
TA-312		
Guide for H-60/PT Handset	95	26

	PS	Page
TESTING, ELECTRICAL		
Generator		
Polarize thru field	93	28
TIRES		
Inflation-- Adjusting	96	40
Changing		
Demounting tool	97	7
Help with	97	64
TOOLS		
Hand		
Handles, wooden--Care of.	92	45
Improvised		
Broken axle stud	95	63
Multimeter--Hickock Model 4977	92	62
Nike, General		
Color code for inventorying	96	64
Sets-Kits		
Aircraft Mechanics Tool Kit	92	52
Number authorized	97	37
Signal		
Issue of TK-77/GF.	95	65
TE-41--Cartridge for soldering iron	92	15
Supply Manual--New one for No. 1 Supplemental	94	65
TOWING TRUCK		
Chain clamps--How to use	92	38
TRACTOR CRAWLER		
Brake drums	94	16
TRACKED VEHICLE		
Check drain valves	95	17
TRAILER		
Brake Hose--Connection	93	52
Fabricated step for loading and unloading	92	64
Missile Transporters M261, M261A1		
Leveling controls	94	18
TRAILER, 1 1/2-TON, M106, M106A1, M107, M107A1		
Corrosion Remover.	92	65
TRAILER, SEMI, 2-WHEEL, 6-TON, M119		
Chock block--Fabricate	95	14
TRAILER, SEMI, 12-TON, M131A1, M131A2		
Static ground wire	95	16
TRUCK, DUMP		
Using tailgate wings	93	16
TRUCK, GENERAL		
Rifle bracket assemblies--How to get	93	65
TRUCK, 1/4-TON, M38		
Bearing, rear wheel--Lubing	95	13
Manifold heat control--Spring position	96	38
Transfer--New seal.	96	21

	PS	Page
TRUCK, 1/4-TON, M38A1		
Bearing, rear wheel--Lubing	95	13
Canvas and Hardware	96	19
Grommets--Battery box	94	65
Rails--Top	94	39
Transfer--New seal.	96	21
TRUCK, 3/4-TON G741 SERIES		
Towing--Disconnect transmission	92	16
Wrench--Wheel bearing	97	64
TRUCK, 2 1/2-TON REO (G742 SERIES)		
Cap--Air supply valve	96	20
GV Boot--Cleaning	97	9
Fitting, spring seat lube	94	42
Pulley, generator--Unserviceable	92	18
Sprag--Shifting	96	23
Transmission--Right plug	96	63
TRUCK, TANK, 2 1/2-TON, M49		
Gaskets--Delivery pump	96	22
Static ground wire	95	16
TRUCK, 2 1/2-TON, G749 SERIES		
Cap--Air supply valve	96	20
Fitting, spring seat lube	94	42
TRUCK, 5-TON, G744 SERIES		
Be Your Own Inspector.	96	4
Dipstick		
Oil level readings	92	19
Gas tank filler cap vented.	94	8
Fitting, spring seat lube	94	42
Propeller Shaft, Front--Slip yoke position	95	16
TRUCK, 5-TON, M51		
Hydraulic Reservoir		
Level-check change.	94	9
TRUCK, 10-TON, GENERAL		
New Technical Manual	94	65
TRUCK, 10-TON, M125		
Canvas--Cargo body	97	8
TRUCK, WRECKER, 5-TON M62		
Boom		
Safe load increase	97	39
Hydraulic System		
Hoses, fabricating	94	43
TYPEWRITER		
Use DA Form 17 to get right maintenance publication	96	37

U

UNSATISFACTORY EQUIPMENT REPORT

(See DA Form 468)

V

VEHICLE, COMMERCIAL

Truck

Dodge

Flexible filter tube 94 65

M3100, 1/2-Ton Pickup

Generator belt adjustment 94 37

Two-speed rear axle 94 45

VEHICLES, GENERAL

Bridge Weight Limits 97 38

Refueling rates 95 43

VEHICLE, TANK RECOVERY, M51

Wheel--Relief lube fitting 94 11

VEHICLE, TANK RECOVERY M74

MWO on cylinder boom pin 95 40

W

WATER DISTRIBUTOR, 1000-GAL

Winterizing 97 28

WEATHERSTRIPPING

Set, Contact Maint. No. 3 95 54

WELDER'S HELMET (SEE HELMET)

WHEEL

Alinement

Check tires for excess caster, camber, toe-in
toe-out 93 44

WHEELED VEHICLE, GENERAL

Brake --Quick test 97 8

Handbrake--Caution 93 39

Lifting and slinging 93 41

WINCH

Cable--Winding 94 7

WINCH, CARGO, TD TRACTORS

Replace pinion shaft pins with cap screws 93 20

WIRE EQUIPMENT

Repacking MX-306A/G dispensers 97 21

NEED A MANUAL?

FIND 'EM LISTED IN YOUR
DA PAMPHLETS (INDEXES)
WITH THESE NUMBERS...

HERE ARE THE KEYS

